INDEX TO VOLUME 21

[New names in **bold face** type]

A

Abbott, Clinton G., Alfred Webster Anthony (obituary), 244.
Aegoceros falconeri (nomen.), 328.
  niger kirkii (nomen.), 330.
Ailuraena, 445.
  johnstoni (fig.), **445.**
Alces alces bedfordi, 403.
  americana (distrib.), 96.
Alcorn, J. R., Life history notes on the Piute ground squirrel, 160; Color variation in the Piute ground squirrel, 218.
Aldous, Shaler E., Notes on a black-footed ferret raised in captivity, 23.
Allactaga mongolica, 404.
Allen, Durward L., Two recent mammal records from Allegan County, Michigan, 459.
Allen, Glover M., Hair and scales of the paca, 438.
Ammotragus lervia, 327.
antelope, 155.
  roan, 329.
  sable, 330.
Anthony, Alfred Webster (obituary), 244.
Antilocapra americana americana, 155.
Antilope barbata, 330.
  dama (nomen.), 329.
  dorcas (nomen), 328.
  equina (nomen.), 329.
  lervia (nomen.), 327.
  Pygarga, 328.
Apodemus agrarius mantchuricus, 405.
  flavicollis wintoni, 350.
  hebridensis hamiltoni, 350.
  hebridensis hebridensis, 347.
  hebridensis **nesiticus, 347.**
  major rufulus, 405.
  sylvaticus sylvaticus, 351.
Arkansas (local list), 187.
armadillo, Texas nine-banded, 190.
Arvicola drummondi, 337.
  drummondii (syn.), 336.
  microcephalus (syn.), 337.
  novoboracensis (syn.), 336.
  rufocanus, 94.
Aschizomys lemminus, 94.
Asinus asinus somaliensis, 200.
  hamar, 199.
  hemionus bedfordi, 197.
  hemionus finschi, 198.
  hemionus hemionus, 197, 198.
  hemionus luteus, 198.
  hemionus onager, 199.
  taeniopus, 200.
  taeniopus somaliensis, 201.
ass, North Persian wild, 199.

B

badger, 154, 155.
Bailey, Alfred M., The moose in Colorado, 96.
Baiomys (as food), 213.
  taylori subater, 223.
Baker, Rollin H., Effect of burning and grazing on rodent populations, 223.
bat, 181, 306, 352.
  big brown, 172, 188, 424.
  eastern long-eared, 188.
  Georgian, 424.
  gray, 188.
  hoary, 188, 214, 354.
  little brown, 423.
  long-eared brown, 423.
  Mexican free-tailed, 173.
  pallid lump-nosed, 172.
  pocketed free-tailed, 26.
  red, 355, 424.
  silver-haired, 424.
  twilight, 424.
Bathyergidae, 449.
bear, 206, 319.
  American black, 188.
  black, 207, 421.

brown, 207, 216.
grizzly, 207.
Himalayan, 207.
Hokkaido, 208.
Kamchatkan, 208.
polar, 90 (distrib.), 356.
beaver, 93 (food), 177, 220 (breeding habits), 319, 359, 397, 462.
Texas, 84.
Benson, Seth B., Notes on the pocketed free-tailed bat, 26; Myotis lucifugus phasma in California, 354.
Bibos banting, 325.
sondaicus birmanicus, 325.
sondaicus butleri, 325.
sondaicus lowi, 325.
sondaicus sondaicus, 325.
bison, 156.
American, 222.
Black, J. D. (See Dellinger, S. C.)
Blair, W. Frank, Two cases of abnormal coloration in mammals, 461.
Blarina brevicauda, 214 (albinism), 457 (molt).
brevicauda carolinensis, 188, 423.
brevicauda talpoides, 89 (albinism), 457 (albinism).
bobcat, 154, 155, 156, 189, 218 (weight), 425.
bontebok, 328.
Bos arnee (nomen.), 326.
bantinger, 325.
bubalis, 326.
gaurus (nomen.), 324.
gnou (nomen.), 329.
leucoprymnus, 324.
sondaicus (nomen.), 324.
Urus javanicus, 324.
Bovidae, 324.
Bradt, G. W., Note on breeding of beavers, 220.
Bubalus bubalis arnee, 326.
buffalo (slaughter), 117.
wild Indian, 326.

C

Cahn, A. R., Manatees and the Florida freeze, 222.
Camelidae, 202.
Camelopardalis antiquorum (nomen.), 322
australis, 322.
capensis (nomen.), 323.
Camelus bactrianus ferus, 202.
Canidae, 192.
Canis, 320.
hodophilax, 192.
hodophylax, 193.
hodopylax, 192.
latrans, 189.
latrans lestes, 151, 152, 153, 154, 156.
rufus gregoryi, 189.
Capra aethiopica, 329.
dorcas, 328.
falconeri, 328.
falconeri falconeri, 328.
jubata, 330.
pyrenaica (nomen.), 327.
Capreolus capreolus pygargus, 403.
caribou, 222.
Castor canadensis, 177 (habits), 320.
canadensis concisor, 359.
canadensis idoneus, 87.
canadensis mexicanus, 84.
canadensis pacificus, 87.
canadensis phaeus, 87.
canadensis texensis, 84, 93 (parasites).
cat, eastern native, 191.
Ceratorhinus niger, 201.
Cervidae, 202.
Cervus camelopardalis (nomen.), 322.
canadensis, 321.
canadensis songaricus, 202.
maral songarica, 202.
chickaree, 410.
Fremont, 175.
chipmunk, 57, 92, 154, 283.
eastern, 460.
Fisher, 425.
Inyo, 175.
long-eared, 405.
sagebrush, 174.
southwestern, 189.
Tahoe, 410.
Utah cliff, 175.
Wasatch, 175.
Choloepus hoffmanni, 5.
Citellus beecheyi, 406, 409.
elegans, 218.
franklini (anatomy), 55.
grammurus buckleyi (food), 92.
lateralis (anatomy), 54.
lateralis lateralis (habits), 174.
leucurus (habits), 174.
richardsonii aureus, 218.
richardsonii elegans (anatomy), 56.

spilosoma obsoletus (anatomy), 56.
townsendii mollis, 151, 154, 156, 157, 160 (life history), 174 (habits), 218 (color variation).
tridecemlineatus (anatomy), 54.
variegatus grammurus, 54 (anatomy), 58 (fig.).
variegatus utah (habits), 173.
Clethrionomys jochelsoni, 94.
gapperi gapperi, 420.
gapperi proteus, 420.
glareolus, 95.
rufocanus, 94.
rutilus hintoni, 404.
coati (range), 11.
Coelogenys, 438.
Coleman, Robert H., Sorex longirostris near the type locality, 89; Dasypterus floridanus in South Carolina, 90; Napaeozapus insignis roanensis in South Carolina, 95.
Collins, Grenold, Habits of the Pacific walrus (Odobenus divergens), 138.
Connochaetes gnou, 329.
Cook, Arthur H., Screwworms infest beaver in Texas, 93.
Cook, Arthur H., and W. Herman Henry, Texas rock squirrels catch and eat young wild turkeys, 92.
Cook, David B., An otter takes a ride, 216; Beaver-trout relations, 397.
Corynorhinus rafinesquii pallescens (habits), 172.
coyote, 151, 152, 154, 155, 156, 157, 189, 359, 435 (pelage change), 458 (food).
Craseomys, 94.
Cratogeomys, 205.
Cricetulus furunculus, 404.
Cross, E. C., Periodic fluctuations in numbers of the red fox in Ontario, 294.
Cryptoprocta, 448.
Cryptotis parva, 187, 213 (as food), 223.
Cuniculus, 361 (anatomy), 438.
Cynomys gunnisoni zuniensis, 23.
leucurus, 56 (anatomy), 58 (fig.).
ludovicianus, 56 (anatomy), 58 (fig.). 461 (food).
parvidens (habits), 175.

D

Dale, Frederick H., Geographic variation in the meadow mouse in British Columbia and southeastern Alaska, 332.
Damaliscus dorcas, 328.
pygargus, 328.
Dasypterus floridanus (distrib.?), 90.
Dasypus novemcinctus texanus, 190.
Dasyuridae, 191.
Dasyurus maculatus, 191.
viverrinus, 191.
Davis, William B., Critical notes on the Texas beaver, 84; A new Thomomys from Texas, 204; Another heavy concentration of Cryptotis in Texas, 213.
Davis, William B. and George H. Lowery, Jr., The systematic status of the Louisiana muskrat, 212.
deer (device for weighing), 64.
black-tailed, 271.
Manchurian spotted, 208.
mule, 154, 155, 156.
musk, 202.
Pacific white-tailed (distrib., fig.), 271
Rocky Mountain mule, 180.
Siberian roe, 403.
Virginia, 190, 428.
Dellinger, S. C., and J. D. Black, Notes on Arkansas mammals, 187.
Dice, Lee R., Relationships between the wood-mouse and the cotton-mouse in eastern Virginia, 14.
Dicerorhinus sumatrensis lasiotis, 201.
Didelphis virginiana virginiana, 187, 423.
viverrina, 191.
Dipodomys elephantinus, 388.
merriami ambiguus, 461.
merriami frenatus (habits), 176.
microps (habits), 176.
microps alfredi, 152.
microps bonnevillei, 155.
microps celsus, 152.
microps russeolus, 151.
microps subtenuis, 153, 154.
oklahomæ, 343.
ordii cinerascens, 151.
ordii cinereus, 151.
ordii cupidineus (habits), 176.
ordii marshalli, 152, 153, 154.
ordii richardsoni, 343.
ordii utahensis, 155, 156, 157.
spectabilis spectabilis, 392.
venustus venustus (habits), 388.
Dipodops richardsoni, 343.

Doutt, J. Kenneth, Weighing large mammals in the field, 63; Polar bears in the Gulf of St. Lawrence, 90; Toxicity of polar bear liver, 356.
Dromicia (breeding habits), 213.
Durand, Forrest V., Note on the cottontail rabbit, 95.

E

eland, Livingstone's, 331.
elk (antlers), 95.
Emballonura monticola rivalis, 354.
papuana, 354.
Enders, Robert K., Observations on sloths in captivity at higher altitudes in the tropics and in Pennsylvania, 5.
Enhydra lutris (food, habits), 119.
lutris nereis, 132 (life history), 357 (fig.).
Eptesicus fuscus (habits), 181.
fuscus fuscus, 172 (habits), 188, 424.
Equidae, 195.
Equus caballus, 196, 321.
caballus equiferus, 196.
equiferus, 196.
ferus, 196.
hagenbecki, 195.
hemionus, 197.
hemionus bedfordi, 197.
hemionus finschi, 198.
hemionus luteus, 198.
onager, 198.
onager castaneus, 197.
przewalskii, 195.
taeniopus, 200.
Erethizon dorsatum, 360.
dorsatum picinum, 421.
epixanthum, 151.
epixanthum epixanthum, 154, 179 (habits).
ermine, yellow, 404.
Euarctos americanus americanus, 188.
Euroscaptor, 443.
grandis, 444.
klossi, 443, 444.
Eutamias amoenus, 59 (anatomy), 58 (fig.).
dorsalis utahensis (habits), 175.
minimus, 59 (anatomy), 58 (fig.).
minimus consobrinus, 174, 175 (habits)
minimus pictus, 154
quadrimaculatus, 405.
quadrivittatus, 406.
quadrivittatus frater, 410.
quadrivittatus inyoensis (habits), 175.

F

Felidae, 193.
Felis, 446.
catus ferus, 193.
catus morea, 193.
concolor couguar, 320.
tigris amurensis, 195.
tigris septentrionalis, 194.
virgata, 194.
ferret, black-footed, 23.
Fiber zibethicus rivalicius, 212.
Fisher, Edna M., Early life of a sea otter pup, 132; A sea otter with gastric perforations, 357.
fitch, Siberian, 402.
Folk, G. Edgar, Jr., Shift of population among hibernating bats, 306.
fox, 319.
eastern red, 189.
gray, 217, 425, 459 (distrib.).
red, 294, 425.

G

Galago madagascariensis, 192.
Gazella dama, 329.
dama permista, 329.
gazelle, dorcas, 328.
Geomys breviceps breviceps, 189.
bursarius (anatomy), 37.
fontanelus, 341.
tuza tuza, 341.
Gilbert, Paul T. (See Wade, Otis.)
Giraffa camelopardalis capensis, 323.
giraffe, 322.
Nubian, 322.
Sennar, 322.
Giraffidae, 322.
Glaucomys sabrinus, 283.
volans, 60 (fig.), 62 (anatomy).
volans volans, 282 (life history), 426.
gnu, white-tailed, 329.
Goodwin, G. G., Eastern elk antlers from Pennsylvania, 95.
gorilla, mountain (anatomy, fig.), 71.
Gorilla gorilla beringei (anatomy, fig.), 71.
Grafflin, Allan L. (See Venable, John H.)
Gregory, Tappan, Eyes in the night (review by H. H. T. Jackson), 225.

Griffin, Donald R., Notes on the life histories of New England cave bats, 181.
Grimm, Rudolf L., Trout and crayfish eaten by coyotes, 458.
groundhog, 425, 439, 462.
ground squirrel, 151, 155, 156, 157, 409, 425, 460.
antelope, 174.
Piute, 160 (life history), 174, 218 (color variation).
Say, 174.

H

Hall, E. Raymond. (See Jewett, Stanley G.)
Hamilton, W. J., Jr., Breeding habits of the cottontail rabbit in New York State, 8; Weights of eastern bobcats, 218; The molt of Blarina brevicauda, 457.
hare, 155.
snowshoe, 356.
varying, 403.
Harper, Francis, The nomenclature and type localities of certain Old World mammals, 191, 322.
Harriot, Samuel C., Chipmunk eating a red-bellied snake, 92.
Hartman, Carl G., Remarks on E. A. Bowley's note concerning alleged delayed fertilization in Dromicia, 213.
Hatfield, Donald M., Activity and food consumption in Microtus and Peromyscus, 29.
Hatt, Robert T., The least weasel in Michigan, 412.
Hawbecker, Albert C., The burrowing and feeding habits of Dipodomys venustus, 388.
Hayward, C. Lynn, Feeding habits of the red squirrel, 220.
Henry, W. Herman. (See Cook, Arthur H.)
Hershkovitz, Philip, Four new Oryzomyine rodents from Ecuador, 78.
Hesperosciurus (anatomy), 61.
Heterocephalus, 449, 451 (fig.).
Hill, John Eric, A senile gray fox, 217.
Hipposideros diadema, 353.
diadema diadema, 353.
diadema griseus, 353.
diadema speculator, 354.
diadema vicarius, 353.
dinops, 353.
galeritus galeritus, 354.
gentilis gentilis, 353.
gentilis major, 353.
gentilis sinensis, 353.
gentilis toala, 352.
pelingensis, 353.
Hippotragus equinus equinus, 329.
niger kirkii, 330.
Holdenreid, Robert, A population study of the long-eared chipmunk (Eutamias quadrimaculatus) in the central Sierra Nevada, 405.
Homo sapiens, 320.
Howell, A. Brazier, Cheek pouches of the paca, 361.
Howell, Arthur H., Brown bear killed on St. Lawrence Island, 216; Wilfred August Welter (obituary), 245; A new race of the harvest mouse (Reithrodontomys) from Virginia, 346.
Howell, Arthur H., 1872–1940 (obituary), 385.
Huber, Wharton, Witmer Stone, 1866–1939 (obituary), 1.
Hyaenidae, 445.
Hypudaeus rufocanus, 95.

I

Ictitherium hyaenoides, 445.
wongi, 448.
Ingram, William Marcus, Red squirrels chased by robins, 219.

J

Jackson, Hartley H. T., Eyes in the night, by Tappan Gregory (review), 225.
Jewett, Stanley G., and E. Raymond Hall, A new race of beaver from Oregon, 87.

K

kangaroo rat, 151, 152, 155, 157, 176.
banner-tailed, 392.
black-pouched, 155.
Bole, 176.
elephant-eared, 388.
four-toed, 461.
Kaibab, 176.
Oklahoma, 343.

Santa Cruz, 388.
white-cheeked, 155.
Kerivoula hardwickii, 353.
Kimball, Heathcote, M. H., and John T. Nichols, A Long Island hoary bat, 214.

L

Laborador, annotated list, 417.
Lasionycteris noctivagans, 424.
Lasiurus borealis, 355.
borealis borealis, 424.
cinereus, 188, 214 (habits), 354 (distrib.).
Lemuridae, 192.
Lepus americanus virginianus, 356.
californicus deserticola, 154, 155, 156, 157, 179 (habits).
californicus melanotis, 190.
callotis, 155.
europaeus aurigineus, 77.
europaeus **cinnamomeus**, 77.
europaeus europaeus, 77.
oiostolus oiostolus, 77.
sechuenensis, 77.
timidus transbaicalicus, 403.
Lewis, John B., Mammals of Amelia County, Virginia, 422.
Long, W. S., Notes on the life histories of some Utah mammals, 170.
Loukashkin, A. S., On the pikas of North Manchuria, 402.
Lutra canadensis, 320.
canadensis canadensis, 425.
canadensis interior, 188.
Lycyaena chaeretis, 448.
lynx, 319.
Norwegian, 194.
Lynx rufus, 320.
rufus rufus, 189, 218 (weights), 425.
rufus uinta, 154, 156.

M

Macropodidae, 191.
manatee, 222.
Marmosa germana, 438.
venusta, 438.
marmot, Englehardt, 173.
mountain, 57.
Marmota flaviventris, 57 (anatomy), 58 (fig.).
flaviventris englehardti (habits), 173.
monax, 320.
monax ignava, 421.
monax monax, 189, 425.
Marshall, Robert (obituary), 1[illegible]3.
Marshall, William H., A survey of the mammals of the islands in Great Salt Lake, Utah, 144.
Megaderma spasma **celebensis**, 352.
spasma spasma, 352.
Mephitis mephitis major, 154, 156.
mephitis mesomelas, 189.
mephitis nigra, 216 (winter activity), 320, 425.
Microcèbe roux, 192.
Microcebus murinus, 192.
murinus murinus, 192.
murinus smithii, 192.
rufus, 192.
Microryzomys altissimus altissimus, 81.
altissimus **chotanus**, 82.
altissimus **hylaeus**, 81.
minutus, 82.
minutus aurillus, 83.
minutus fulvirostris, 83.
minutus humilior, 83.
Microtus admiraltiae (syn.), 339.
drummondi (syn.), 336.
montanus, 178 (habits), 406.
mordax mordax (habits), 178.
pennsylvanicus, 332.
pennsylvanicus admiraltiae, 336 (measurements), 339.
pennsylvanicus drummondi (syn.), 336.
pennsylvanicus drummondii, 336.
pennsylvanicus fontigenus, 337, 420.
pennsylvanicus **funebris**, 336 (measurements), 338.
pennsylvanicus microcephalus, 337.
pennsylvanicus modestus, 337.
pennsylvanicus pennsylvanicus, 29 (food), 420, 427.
pennsylvanicus **rubidus**, 336 (measurements), 339.
stonei (syn.), 336.
Miller, Gerrit S., Jr., The status of the genus Aschizomys Miller, 94; A new mole from Annam, 203; Bones of mammals collected by Baird in Pennsylvanian caves, 319; Notes on some moles from southeastern Asia, 442.

mink, 188.
eastern, 424.
Siberian yellow, 404.
Mohr, Carl O., Strange action of a house mouse, 93.
mole, 203, 223 (live trap), 442.
eastern, 423.
Moore, A. W., A live mole trap, 223.
moose (distrib.), 96.
Ussurian, 403.
Moschi sibirici, 202.
Moschidae, 202.
Moschus moschiferus, 202.
moschiferus arcticus, 202.
sibiricus, 202.
mouse, Attwater's white-footed, 190.
canyon, 178.
Carolinian jumping, 428.
cotton, 14.
deer, 222, 283, 449.
desert harvest, 177.
desert white-footed, 178.
eastern meadow, 427.
golden harvest, 190.
grasshopper, 155, 177, 221.
harvest, 155, 223.
house, 93, 153, 156, 421, 449.
Hudson Bay jumping, 421.
Hudsonian white-footed, 419.
Labrador red-backed, 420.
long-tailed meadow, 178.
long-tailed pocket, 176.
meadow, 332, 420.
northern pine, 427.
northern white-footed, 190, 426.
pocket, 155, 461.
red-backed, 420.
Rhoads cotton, 190.
Rowley white-footed, 178.
southern golden, 190.
True white-footed, 178.
Virginia harvest, 346, 426.
white-footed, 152, 154, 155, 157.
wood, 14.
woodland pine, 190.
Murie, Olaus J., Robert Marshall (obituary), 116; Notes on the sea otter, 119.
Mus musculus, 153, 421.
muskrat, 319, 428.
common, 190.
Laborador, 421.
Louisiana, 212.
Mustela alpina, 404.
cicognanii cicognanii, 421.
frenata nevadensis, 156.
frenata noveboracensis, 424.
nigripes (habits), 23.
primulina, 189.
quoll, 191.
rixosa (distrib.), 412.
rixosa allegheniensis (distrib.), 459.
rixosa pygmaea, 402.
sibirica, 404.
vison mink, 188, 424.
Mynomes drummondi, 337.
microcephalus, 337.
Myotis grisescens, 188.
keenii septentrionalis, 181, 188, 306, 423.
lucifugus, 181 (habits), 306.
lucifugus carissima, 354.
lucifugus lucifugus, 423.
lucifugus phasma (distrib.), 354.
muricola, 353.
muricola amboinensis, 353.
sodalis, 181, 306.
subulatus, 181.

N

Napaeozapus insignis roanensis (distri[1]), 95.
Nasua narica (range), 11.
Neil, Richard W., The pocketed bat in California, 356.
Neosciurus, 61.
Neotoma cinerea, 406.
cinerea cinerea, 157, 178 (habits).
floridana attwateri, 190.
lepida, 151, 178 (habits).
lepida lepida, 155, 156.
lepida marshalli, 153, 155.
magister, 249 (life history, distrib., figs.), 316 (nomen.), 321.
pennsylvanica, 316.
Nichols, John T. (See Kimball, Heathcote, M. H.).
Nycticeius humeralis, 424.

O

Ochotona daurica, 402, 404.
hyperborea cinereofusca, 402, 405.
hyperborea mantchurica, 402.
mantchurica, 403.

princeps cinnamomea, 179.
princeps fuscipes, 174, 179 (habits).
Odobenus divergens (habits), 138.
Odocoileus hemionus columbianus, 271.
hemionus hemionus, 154, 156.
hemionus macrotis (habits), 180.
virginianus, 190.
virginianus borealis, 321.
virginianus leucurus (distrib., fig.), 271.
virginianus virginianus, 428.
Oligoryzomys andinus, 80.
arenalis, 80.
longicaudatus, 79.
minutus, 81.
spodiurus, 79.
stolzmanni, 79.
Ondatra zibethica aquilonia, 421.
zibethica zibethica, 190.
zibethicus, 321, 428.
zibethicus rivalicius, 212.
zibethicus zibethicus, 212.
Onychomys leucogaster, 221.
leucogaster melanophrys, 177.
leucogaster utahensis, 154.
torridus longicaudus (habits), 177.
oppossum, mouse, 438.
spotted, 191.
Virginia, 187, 423.
Orcutt, Edward Eugene, Studies on the muscles of the head, neck, and pectoral appendages of Geomys bursarius, 37.
Oreas livingstonii (nomen.), 331.
oreas kaufmanni, 331.
oryx niediecki, 331.
Oryzomys (as food), 214.
alfaroi intagensis, 78.
alfaroi palmirae, 78.
longicaudatus destructor, 81.
palustris texensis, 190.
spodiurus, 79.
Otosciurus (anatomy), 61.
otter, 216, 319.
American, 425.
interior, 188.
Ovis arcal, 326.
arcar, 326.
arcar arcar, 327.
arkal (nomen.), 326.
arkar, 326.
orientalis arcar, 327.
vignei, 327.
vignei arkal, 327.
vignei varentsowi, 327.
vignei varenzovi, 327.

P

paca, 361, 438.
Packard, Fred Mallery, Beaver killed by coyotes, 359.
panther, 319.
Panthera tigris longipilis, 195, 208.
Parascaptor, 442.
leucura, 442.
Parasciurus (anatomy), 61.
Perognathus californicus, 406.
fasciatus fasciatus, 461.
formosus, 176.
parvus olivaceus, 155, 157.
parvus plerus, 153, 154.
Peromyscus boylii, 406.
boylii attwateri, 190.
boylii rowleyi (habits), 178.
crinitus, 178.
crinitus praegracilis, 155.
eremicus eremicus, 178.
gossypinus, 14.
gossypinus megacephalus, 190.
leucopus, 14, 321.
leucopus noveboracensis, 190, 426.
maniculatus, 334, 406.
maniculatus bairdii (food), 29.
maniculatus gracilis, 222.
maniculatus gunnisoni, 152.
maniculatus inclarus, 157.
maniculatus maniculatus, 419.
maniculatus sonoriensis, 151, 152, 153, 154, 155, 156, 157, 177 (habits).
nuttalli aureolus, 190.
nuttalli lewisi, 427.
truei truei (habits), 178.
Phaiomys brandti, 404.
vinogradovi, 405.
Phascogale tapoatafa tapoatafa, 191.
phenacomys, Ungava, 419.
Phenacomys ungava ungava, 419.
Phoca vitulina concolor, 421.
Phodopus songarus, 404.
pika, 174, 402.
Beaver Mountains, 179.
Dahurian, 402.
Manchurian, 403.
Parowan Mountains, 179.

Pipistrellus abramus, 353.
subflavus, 306.
subflavus subflavus, 181, 424.
Pitymys nemoralis, 190.
pinetorum scalopsoides, 427.
pocket gopher, 155, 156, 205, 220 (weight), 341.
Louisiana, 189.
Parowan Mountains, 176.
Zion Park, 176.
Poephagus grunniens mutus, 325.
mutus, (nomen.), 325.
Poole, Earl L., A life history sketch of the Allegheny woodrat, 249; The technical name of the Allegheny woodrat, 316.
porcupine, 151, 154, 155.
Canada, 360.
Labrador, 421.
yellow-haired, 179.
prairie dog, 23, 460.
black-tailed (food), 461.
Utah, 175.
white-tailed, 56.
Procyon lotor, 320.
lotor hirtus, 188.
lotor lotor, 424.
Putorius eversmanni michnoi, 402.

R

rabbit, 319, 403, 449.
Black Hills cottontail, 180.
Colorado Desert jack, 179.
cottontail, 8, 95, 154, 156, 429 (molt), 462.
eastern cottontail, 428.
Great Plains jack, 190.
jack, 155, 156, 157.
swamp, 190.
Rainey, Froelich, Eskimo method of capturing bowhead whales, 362.
Rangifer caribou caribou, 222.
raccoon, eastern, 424.
Missouri Valley, 188.
rat, 449.
albino (anatomy, figs.), 66.
cotton, 223.
eastern cotton, 190.
house, 438.
Texas rice, 190.
Rattus, 438.
melanurus, 76.
perasper, 76.
perflavus, 76.
rajah, 76.
ubecus, 76.
Reithrodontomys (as food), 213.
fulvescens aurantius, 190, 223.
humulis humulis, 346.
humulis virginianus, 346, 426.
megalotis megalotis (habits), 177.
megalotis ravus, 154, 155.
Rhinoceros lasiotis, 201.
sumatrensis, 201.
Rhinocerotidae, 201.
Rhinolophus celebensis, 354.

S

Scalopus aquaticus aquaticus, 423.
Schantz, Viola S., Arthur H. Howell (obituary), 385.
Scheffer, Victor B., A newly located herd of Pacific white-tailed deer, 271.
Schorger, A. W., A record of the caribou in Michigan, 222.
Schwarz, Ernst, On Malay pigs of the Sus verrucosus group, 73; Status and affinities of the bears of northeastern Asia, 206.
Sciuridae (anatomy), 52.
Sciurus aberti (fig.), 60.
aberti ferreus (anatomy), 62.
carolinensis, 60 (anatomy, fig.), 320.
carolinensis leucotis, 426.
griseus, 410.
hudsonicus hudsonicus, 419.
niger (fig.), 60.
niger neglectus, 426.
Scott, John W., Winter kill in beaver, 462.
sea otter, 119, 132, 357.
seal (device for weighing), 64.
Atlantic harbor, 421.
Shadle, Albert R., A source of meat for diets of wild rodents, 460.
Shadle, A. R., T. S. Austin, and F. X. Meyer, Five cottontail rabbits up a tree, 462.
Shamel, H. Harold, Three new mammals from Asia, 76; The insectivorous bats collected by H. C. Raven in Celebes, 352.
Sherman, H. B., A new species of pocket gopher (Geomys) from eastern Georgia, 341.

shrew, 213, 223.
Bachman, 423.
Carolina short-tailed, 188, 423.
Labrador long-tailed, 419.
little short-tailed, 187.
short-tailed, 214.
water, 172.
Sigmodon (as food), 214.
hispidus hispidus, 190.
hispidus texianus, 223.
Sika nippon mantchuricus, 208.
Sime, P. R., Albino short-tailed shrews from Connecticut, 214.
skunk, 154, 156, 216.
eastern, 425.
Louisiana, 189.
prairie spotted, 188.
sloth, two-toed, 5.
Smith, Clarence F., Weights of pocket gophers, 220.
Sollberger, Dwight E., Notes of the life history of the small eastern flying squirrel, 282.
Soper, J. Dewey, Slaughter of buffalo at Wainwright Buffalo Park, 117.
Sorex, 406.
cinereus miscix, 419.
longirostris (distrib.), 89.
longirostris longirostris, 423.
palustris navigator (habits), 172.
Spelaeus melanarctos, 208.
Spilogale interrupta, 188.
Spinner, George P., Molting characteristics in the eastern cottontail rabbit, 429.
squirrel, eastern flying, 282 (life history), 426.
gray, 60, 283, 410.
northern fox, 426.
northern gray, 426.
northern red, 419.
red, 59, 219, 283.
rock (food), 92.
tree, 460.
Utah rock, 173.
Wind River Mountain red, 220.
Stenocranius gregalis raddei, 404.
Stirton, R. A., and Wayne G. Christian, A member of the Hyaenidae from the Upper Pliocene of Texas, 445.
Stone, Witmer, 1866-1939 (obituary), 1.
Stoner, Dayton, The Canada porcupine as a highway casualty, 360.
Storer, Robert W., The hoary bat in New Jersey, 354.
Sus barbatus, 73.
gargantua, 74.
verrucosus borneensis, 73.
verrucosus oi, 74.
verrucosus sumatranus, 73.
verrucosus verrucosus, 73.
Swanton, John R., American bison in northern Louisiana, 222.
Sylvilagus (as food), 214.
aquaticus aquaticus, 190.
floridanus, 8 (breeding habits), 95.
floridanus mallurus, 321, 428, 429 (molt, figs.).
floridanus mearnsii, 431.
nuttalli grangeri, 153, 154, 156, 157, 180.
transitionalis (molt, figs.), 429.

T

Taber, F. Wallace, Range of the coati in the United States, 11.
Tadarida femorosacca, 26, 356.
laticaudata, 26.
mexicana, 28, 172, 173 (habits).
Talpa altaica, 442.
europaea, 203, 442, 444.
klossi, 203, 442, 443.
longirostris, 203, 442.
micrura, 203.
parvidens, 203, 442.
romana, 444.
Tamias striatus, 57 (anatomy), 58 (fig.).
striatus fisheri, 425.
striatus lysteri (food), 92.
striatus venustus, 189.
Tamiasciurus douglasii, 406, 410.
fremonti (anatomy), 59.
fremonti fremonti (habits), 175.
hudsonicus (anatomy), 59.
hudsonicus ioquax, 219.
hudsonicus ventorum (feeding habits), 220.
Taurotragus derbianus congolanicus (nomen.), 331.
oryx kaufmanni, 331.
oryx livingstonii, 331.
oryx niediecki, 331.
Taxidea taxus taxus, 154.

Terres, J. Kenneth, Notes on the winter activity of a captive skunk, 216.
Thigpen, Lorna W., Histology of the skin of a normally hairless rodent, 449.
Thomomys baileyi, 205.
bottae, 406.
bottae albicaudatus, 155.
bottae guadalupensis, 205.
bottae minimus, 154, 156.
bottae nesophilus, 156.
bottae planirostris (habits), 176.
bottae **scotophilus, 204.**
bottae texensis, 205.
fuscus fuscus (weight), 220.
talpoides parowanensis (habits), 176.
Thryonomys, 439.
Thurber, Walter A., A weasel attacks a varying hare, 356.
Thylogale flindersi, 191.
tiger, 194, 208.
Bengal, 194.
Persian, 194.
tiger-cat, spotted-tailed, 191.
Tigris longipilis, 194.
tigris septentrionalis, 194.
Trowbridge, Albert H., and H. L. Whitaker, A new kangaroo rat from Oklahoma, 343.

U

Ulmer, Frederick A., Jr., Albinism in Blarina, 89; A Delaware record of albinism in Blarina, 457.
Urocyon cinereoargenteus, 217, 320.
cinereoargenteus cinereoargenteus, 189, 425, 459 (distrib.).
Ursus americanus americanus, 421.
arctos, 210.
arctos arctos, 210.
arctos beringiana, 207.
arctos kolymensis, 208, 210, 216.
baikalensis, 209.
beringianus, 207, 208, 210.
beringianus beringianus, 209, 210.
beringianus piscator, 211.
beringianus yesoensis, 211.
cavifrons, 297.
isabellinus, 207, 209, 210.
jeniseensis, 209.
lasiotus, 207.
leuconyx, 209.
mandchuricus, 207.
piscator, 207.
spelaeus, 209, 210.
syriacus, 209, 210.
yesoensis, 208.
Utah (local list), 144, 170.

V

Venable, John H., and Allan L. Grafflin, Gross anatomy of the orbital glands in the albino rat, 66; Dissection of the thyroid and parathyroid glands in an adult mountain gorilla, 71.
Vespertilio pruinosus, 355.
Vulpes fulva, 189, 294.
fulva fulva, 425.

W

Wade, Otis and Paul T. Gilbert, The baculum of some Sciuridae and its significance in determining relationships, 52.
Walker, Ernest P., Grasshopper mouse uses tobacco as an insecticide, 221.
wallaby, 191.
walrus, Pacific (habits), 138.
wapiti, Tian Shan, 202.
Warren, Edward R., A beaver's food requirements, 93.
Warwick, Tom, Field mice (Apodemus) from the Outer Hebrides, Scotland, 347.
weasel, 156, 356.
Bonaparte, 421.
least, 402, 412 (distrib.), 459 (distrib.).
Missouri, 189.
New York, 424.
Weaver, Richard Lee, Note on the death of a young deer mouse, 222; Notes on a collection of mammals from the southern coast of the Labrador Peninsula, 417.
Welter, Wilfred August (obituary), 245.
whale, bowhead, 362.
Whitaker, H. L. (See Trowbridge, Albert H.)
Whiteman, Eldon E., Habits and pelage changes in captive coyotes, 435.
wildcat, 425.
wolf, 155, 319.
Japanese, 192.
Mississippi Valley, 189.

woodchuck, 425.
Labrador, 421.
southern, 189.
woodrat, 151, 155, 156.
Allegheny, 249 (life history, distr., figs.), 316.
Attwater, 190.
bushy-tailed, 178.
Thomas, 178.

Y

yak, wild, 325.
Young, Stanley P., North American big game. A book of the Boone and Crockett Club (review), 96.

Z

Zapus hudsonius americanus, 428.
hudsonius hudsonius, 421.
hudsonius ladas, 421.